

Céret, 01/15/2026

STATEMENT

DIAM Bouchage hereby confirms that its microagglomerated cork stoppers DIAM, MYTIK, ORIGINE by DIAM, REF and SETOP shanks do not contain the following substances, intentionally added:

- Bisphenol A, Bisphenol B or Bisphenol S in compliance with Regulation (EU) 2024/3190.
- Phthalate
- Other endocrine disruptors included in the French Order of 28/09/2023 establishing the list of substances with endocrine disrupting properties
- BADGE, BFDGE or NOGE
- Nanoparticles: our suppliers confirm that they do not intentionally use any substance in the form of nano-particles.
- G.M.O. (Genetically Modified Organism);
- Allergen: our corks do not contain substances or products causing allergies or intolerances as defined in the Annex II of the Regulation (EU) no 1169/2011 of the European Parliament and of the Council of 25 October 2011 on the provision of food information to consumers, as well as those defined in section 201(qq) of the Federal Food, Drug, and Cosmetic Act.
- Pesticide residues
- PVC (polyvinyl chloride)
- PVDC (Polyvinylidene chloride)
- PET (polyethylene terephthalate)
- HDPE (high density polyethylene)
- LDPE (low density polyethylene)
- PP (polypropylene)
- PS (polystyrene)
- 1,4 dioxane

During the manufacturing process of our corks, we do not use:

- Any chlorinated molecules,
- Any irradiation treatment.

Michel TIXADOR
Responsable Département
Customer Care

